### **Baltic Journal of Health and Physical Activity**

Volume 12 | Issue 4 Article 6

2020

# The impact of classified and unclassified techniques on the male medalists' offensive activity at the 2004–2016 Olympic Games

Amar Ait Ali Yahia NIHESTS Abdellah Fadhel, Algiers, Algeria, ar.aay@hotmail.fr

Follow this and additional works at: https://www.balticsportscience.com/journal

Part of the Health and Physical Education Commons, Sports Medicine Commons, Sports Sciences Commons, and the Sports Studies Commons

#### **Recommended Citation**

Ait Ali Yahia A. The impact of classified and unclassified techniques on the male medalists' offensive activity at the 2004–2016 Olympic Games. Balt J Health Phys Act. 2020;12(4):59-73. doi: 10.29359/BJHPA.12.4.06

This Article is brought to you for free and open access by Baltic Journal of Health and Physical Activity. It has been accepted for inclusion in Baltic Journal of Health and Physical Activity by an authorized editor of Baltic Journal of Health and Physical Activity.

# The impact of classified and unclassified techniques on the male medalists' offensive activity at the 2004–2016 Olympic Games

#### **Abstract**

ackground: Judokas have thrown opponents using various techniques. The researchers' interest in the classified technique remained relevant. No previous study has investigated the contribution of an unclassified technique to high-level judo. Aim: This work assessed the share of classified and unclassified techniques of Nage-waza on the volume of attack activity, technical repertoire, and effectiveness of medalists at Athens 2004, Beijing 2008, London 2012, and Rio de Janeiro 2016. Material and methods: The analysis focused on 3,664 Nage-waza actions, including 2,146 classified actions and 1,518 unclassified actions, performed by 112 male medalists in 575 contests. Anderson-Darling test assessed the normality of the collected data. Multiple comparisons via t Student, one-way analysis of variance, and Tukey post hoc test verified the medalists' offensive activity. Cohen's estimator d and unbiased estimator  $\omega 2$  tested the size effect of the analysis of variance. Results: To achieve such performances, medalists attempted 19.2±10.0 classified attacks and 13.6±10.5 unclassified attacks. Their effectiveness involved 2.6±1.8 classified actions and 2.0±1.8 unclassified actions, using a repertoire of 7.4±3.0 classified techniques and 4.2±2.6 unclassified techniques. Conclusions: Judicious combination of both techniques contributes to the medalists' performance. Integrating unclassified ones as part of the training and preparedness of judokas was a prior inescapables.

#### **Keywords**

judo, performance analysis, competition, innovative action

#### **Creative Commons License**



This work is licensed under a Creative Commons Attribution-Noncommercial-No Derivative Works 4.0 License.

doi: 10.29359/BIHPA.12.4.06

## The impact of classified and unclassified techniques on the male medalists' offensive activity at the 2004-2016 Olympic Games

**Authors' Contribution:** 

A Study Design

**B** Data Collection C Statistical Analysis

**D** Data Interpretation

E Manuscript Preparation

F Literature Search

**G** Funds Collection

**Amar Ait Ali Yahia** 

NIHESTS Abdellah Fadhel, Algiers, Algeria

#### abstract

Background:

Judokas have thrown opponents using various techniques. The researchers' interest in the classified technique remained relevant. No previous study has investigated the contribution of an unclassified technique to high-level judo. Aim: This work assessed the share of classified and unclassified techniques of Nage-waza on the volume of attack activity, technical repertoire, and effectiveness of medalists at Athens 2004, Beijing 2008, London 2012, and Rio de Janeiro 2016.

Material and methods:

The analysis focused on 3,664 Nage-waza actions, including 2,146 classified actions and 1,518 unclassified actions, performed by 112 male medalists in 575 contests. Anderson-Darling test assessed the normality of the collected data. Multiple comparisons via t Student, one-way analysis of variance. and Tukey post hoc test verified the medalists' offensive activity. Cohen's estimator d and unbiased estimator  $\omega^2$  tested the size effect of the analysis of variance.

Results:

To achieve such performances, medalists attempted  $19.2\pm10.0$  classified attacks and  $13.6\pm10.5$ unclassified attacks. Their effectiveness involved 2.6±1.8 classified actions and 2.0±1.8 unclassified actions, using a repertoire of 7.4±3.0 classified techniques and 4.2±2.6 unclassified techniques.

Conclusions:

Judicious combination of both techniques contributes to the medalists' performance. Integrating unclassified ones as part of the training and preparedness of judokas was a prior inescapables.

Key words: judo; performance analysis; competition; innovative action.

#### article details

Article statistics: Word count: 5,045; Tables: 10; Figures: 2; References: 66

Received: July 2020; Accepted: November 2020; Published: December 2020

Full-text PDF: http://www.balticsportscience.com

Copyright © Gdansk University of Physical Education and Sport, Poland

Indexation: Celdes, Clarivate Analytics Emerging Sources Citation Index (ESCI), CNKI Scholar (China National Knowledge Infrastructure), CNPIEC, De Gruyter - IBR (International Bibliography of Reviews of Scholarly Literature in the Humanities and Social Sciences), De Gruyter - IBZ (International Bibliography of Periodical Literature in the Humanities and Social Sciences), DOAJ, EBSCO - Central & Eastern European Academic Source, EBSCO - SPORTDiscus, EBSCO Discovery Service, Google Scholar, Index Copernicus, J-Gate, Naviga (Softweco, Primo Central (ExLibris), ProQuest - Family Health, ProQuest - Health & Medical Complete, ProQuest - Illustrata: Health Sciences, ProQuest - Nursing & Allied Health Source, Summon (Serials Solutions/ProQuest, TDOne (TDNet), Ulrich's

Periodicals Directory/ulrichsweb, WorldCat (OCLC)

Conflict of interests:

Funding: This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Author has declared that no competing interest exists. Corresponding author:

Amar Ait Ali Yahia, Cité 360 logements, Algiers 16028, Algeria; e-mail: ar.aay@hotmail.fr; https://orcid.org/0000-

0002-5356-960X

Open Access License:

This is an open access article distributed under the terms of the Creative Commons Attribution-Non-Commercial-No-Derivatives 4.0 International (https://creativecommons.org/licenses/by-nc-nd/4.0/), which permits use, distribution and reproduction in any medium, provided the original work is properly cited, the use is non-commercial and is otherwise in compliance with the license.

#### INTRODUCTION

The technique is an essential factor in judo performance. It still generates several questions within the scientific community. In addition, it is now well established that the topic of effectiveness attracts many researchers [1–3]. The complexity of defensive systems affects this effectiveness; judokas integrate non-classic technical solutions to their offensive system [4]. Being higher inventive allows judokas to safeguard their superiority. Incorporating new strategies and unusual motor skills in training and competition are the original solutions [5]. However, to solve the complex constraints of the opponent's defense system is a genuine challenge. Innovative actions for resolving classic techniques ineffectiveness are among these alternative approaches. Creativity and import process from other sports develop original skills. This concept enhances technical and tactical variability, but also aesthetic appeal. Combat sports are a source of interesting techniques [6]. Training content from sports close to judo can stimulate creative thinking development, further in a varied and flexible environment than in a trained one.

Creativity is an essential need for judo development. The technique reached a level of finesse in modern judo while producing many variations cannot be included in the Gokyo [7]. Thus, the Athens Olympic Games registered various innovative techniques [8]. Some judo champions have executed spectacular and original movements throughout their careers [9]. The practice of Sambo (Soviet martial art) and Chidaoba (Georgian martial art) allows Shota Kharbarelli, a Moscow Olympic champion, to make judo history thanks to "unorthodox, attractive, and effective throwing technique" [10]. These skills stay unclassified despite their effectiveness; federal authorities do not recognize them. Part of divergent thinking, the unclassified technique can be an unusual, innovative, rare, or even unique solution in solving situations [11]. This technique is "any judo skill performed in competition, both standing and on the ground, validated by the referees for its effectiveness, but not included in any official classification" [12]. Biomechanically, original techniques are "all throwing techniques that keep alive the formal aspect of classic judo throws, and differ in terms of grip and direction of applied forces only" [13]. In general, non-classic solutions are innovative, new, or chaotic techniques. An innovative technique is a variant of existing motor action, using different gripping positions, and applying either a physical lever or a couple of forces. New or chaotic techniques are non-conventional options, using a physical lever only, and inducing forces in different but correct directions for their special grips [14]. However, a couple of forces techniques reunify actions executed by an arm(s) and leg, trunk and legs, trunk and arms, legs, and arms. As for the physical lever techniques, they assemble actions performed with a minimum, medium, maximum, and variable arm [15]. Therefore, the unclassified technique is an innovative motor action that preserves the original structure; even without official status, its effectiveness is fundamental.

Judo contest is a simultaneous set of offensive and defensive phases. Direct attack, combinations, and feints are the appropriate offensive tactical sequences to increase the effectiveness of throwing techniques (Nage-waza). Judoka launches offensive action performing hand techniques (Te-waza), foot techniques (Ashi-waza), hip techniques (Koshi-waza), and sacrifice techniques (Sutemi-waza). To date, research has focused on the classified technique, which is still topical for researchers. Earlier studies corroborated the unclassified technique presence in elite judo competition. Yet, no researcher demonstrates its effect [16–18], even though its contribution is undeniable on the motor and decision-making [8, 14, 19]. Supporters and opponents of this technique are still debating the question. In that case, longitudinal and cross-sectional studies can figure the relevance of their use. Investigating the expert judokas' offensive activity is the only way to reconcile them. Studies of a single category show a real technical trend [20, 12]. But failing to

cover other weight categories is the principal weakness of these studies. It is essential to determine what measure the elite judokas' offensive activity influences their performance in important competitions. Quantitative indicators of technical-tactical readiness are volume, variety, and effectiveness. The volume shows the number of technical actions performed; variety means the variants mastered by this judoka, and effectiveness is the ability to achieve high-level performance through this variety [21]. Thus, this study aims to assess the volume of attack activity, technical repertoire, and effectiveness of the male medalists at the Olympic Games of Athens 2004, Beijing 2008, London 2012, and Rio de Janeiro 2016. We hypothesized that the classified activity has more effect on the medalists' achievement than unclassified activity.

#### MATERIAL AND METHODS

#### **P**ARTICIPANTS

The research material consisted of the official video recording of the judo competition of Athens, Beijing, London, and Rio de Janeiro Olympic Games. The current study concerned the 4 medalists' contests in all 7 male weight categories. A total of 575 contests were analyzed: extra-lightweight (-60 kg) = 82; half-lightweight (-66 kg) = 81; lightweight (-73 kg) = 85; half-middleweight (-81 kg) = 82; middleweight (-90 kg) = 82; half-heavyweight (-100 kg) = 81, and heavyweight (+100 kg) = 82. These contests were registered from eliminatory, quarter-final, semi-final, repechage, third place, and final. The sample comprised 112 medalists that performed 3,664 Nage-waza actions, including 2,146 classified actions (Athens=546; Beijing=534; London=557; and Rio=509) and 1,518 unclassified actions (Athens=456; Beijing=459; London=329; and Rio=274).

#### MEASURES

The Olympic competition was an attractive elite judo experimental framework. Studying the throwing techniques could explain medalists' achievement. For measuring such accomplishment, this analysis selected the volume of attack activity, technical repertoire, and effectiveness as dependent variables. Three phases compose the action of throwing: breaking the opponent's balance (Kuzushi), the positioning of the body (Tsukuri), and the throwing phase (Kake) [7]. Attempted action defined an action performed by the judoka, respecting these three phases, with no scoring points. Effective action defined any action scored points awarded by the referee. Volume of attack activity of the medalist was the sum of attempted unsuccessful actions and effective actions. The know-how composed of different techniques necessary for resolving complex situations was their technical repertoire. This research chose classified and unclassified techniques as independent variables. Each independent variable defined two indicators: throwing techniques and technical groups. Classified techniques referred to throwing techniques listed in the official program as IJF [22], Kodokan [23], and FFJDA [24]. These most taught programs differed in the total number of techniques. Unclassified techniques concerned all unofficial skills not incorporated in these three nomenclatures.

#### **P**ROCEDURE

The International Olympic Committee (IOC) gave renewable authorization to consult the Olympic Multimedia Library [http://extranet.olympic.org]. To model performance through the offensive variables, the deferred observation was chosen for collecting data [25]. We used a judo competition analysis sheet for watching these contests. As part of our thesis, we analyzed for two years (2014–2015) the technical and tactical requirements of Olympic medalists of Athens, Beijing, and London [26]. Rio contests were observed in 2017. We verified all these data in 2019 [27].

#### DATA ANALYSIS

Each medalist was observed through the following parameters: total actions, total classified actions, total unclassified actions, total classified and unclassified technical groups, total effective classified actions, total effective unclassified actions, and total contests analyzed. Anderson-Darling test confirmed the data collected compatibility with the normal distribution. The descriptive analysis defined several position indicators (mean, standard deviation, first quartile, third quartile, median, minimum, and maximum). The t Student test and the analysis of variance (ANOVA one way) were used for the inter-Olympic (longitudinal study) and intra-Olympic (cross-sectional study) comparisons of each variable. Post hoc Tukey test allowed the pairwise comparison of their means. Cohen's estimator d determined the side effect for t student (strong effect d=.80; moderate effect d=.50; small effect d=.20) [28]. Unbiased estimator  $\omega^2$  (strong effect  $\omega^2$ =.15; moderate effect  $\omega^2$ =.06; small effect  $\omega^2$ =.01) measured the side effect for analysis of variance [29]. The significance level was set at .05. The XLSTAT 2019.1.2 software performed all calculations.

#### RESULTS

#### MEDALISTS' VOLUME OF ATTACK ACTIVITY

The Anderson-Darling test confirmed the normal law of data collected on the Olympic medalists contests of Athens (A² (.752) = .653; p = .079), Beijing (A² (.752) = .526; p = .165), London (A² (.752) = .334; p = .489), and Rio (A² (.752) = .989; p = .916). In addition, the t Student test did not perceive any significant difference between classified and unclassified techniques in Athens (t (2.005) = 1.091; p = .280; 95% [-2.690; 9.119]; d = 0.318 [small effect]) and Beijing Olympics (t (2.005) = .941; p = .351; 95% [-3.028; 8.385]; d = .278 [small effect]). A difference was found in London (t (2.005) = 2.929; p = .005; 95% [2.569; 13.717]; d = .713 [moderate effect]) and Rio (t (2.005) = 3.711; p = .000; 95% [3.859; 12.927]; d = .932 [strong effect]). The descriptive analysis revealed the superiority of classified techniques applied in London and Rio compared to unclassified techniques. ANOVA did not reveal any difference between medalists' attack activities performed by classified techniques (F (2.689) = .149; p = .930;  $\omega^2$  = .000 [small effect]) and unclassified techniques (F (2.689) = 2.910; p= .038;  $\omega^2$  = .049 [small effect]) during these four tournaments (Table 1).

Table 1. Volume of attack activity: Classified (CT) and unclassified techniques (UCT); M: Mean; SD: Standard deviation; Min: Minimum; Max: Maximum; Med: Median;  $Q_1$ : first quartile;  $Q_3$ : third quartile; \*: No difference (P<.05)

		Athens	Beijing	London	Rio	M±SD	F	P	ω <sup>2</sup>
СТ	(Min; Max)	(7.0; 57.0)	(4.0; 38.0)	(5.0; 51.0)	(2.0; 33.0)				
	Med (Q1; Q3)	16.0 (14.0; 22.3)	17.5 (13.5; 25.0)	$16.0\;(11.0\;;2\;7.0)$	19.0 (13.0; 26.0)	19.2 <u>+</u> 10.10	0.149*	0.930	0000.0
	M±SD	19.5±10.1	19.1±9.6	19.9±11.4	18.2±9.0				
	(Min; Max)	(0.0; 44.0)	(1.0; 49.0)	(0.0; 34.0)	(0.0; 29.0)				
UCT	Med (Q1; Q3)	14.5 (6.8; 23.3)	13.0 (8.0; 20.5)	11.0 (4.8; 18.0)	8.0 (4.0; 12.5)	13.6±10.5	2910*	0.038	0.049
	M±SD	16.3±11.9	16.4±11.6	11.8±9.3	9.8±7.9				

#### INTRA-OLYMPIC VOLUME OF ATTACK ACTIVITY OF CLASSIFIED TECHNICAL GROUPS

Table 2 shows the comparison of classified technical groups' volume of attack activity. Technical groups of Athens medalists differed (F (2.689) = 15.107; p= .000;  $\omega^2$  = .274 [strong effect]). Post hoc Tukey test corroborated the difference between Te-waza and Ashi-waza; Ashi-waza and Sutemi-waza; Ashi-waza and Koshi-waza; Sutemi-waza and Koshi-waza. There was a significant difference in Beijing (F (2.689) = 10.141; p = .000;

 $\omega^2$  = .197 [strong effect]). Post hoc Tukey test confirmed the difference between Ashiwaza and Koshi-waza, and Sutemi-waza and Koshi-waza. ANOVA confirmed a difference in London (F (2.689) = 19.988; p = .000;  $\omega^2$  = .337 [strong effect]). Post hoc Tukey test determined the difference between Te-waza and Ashi-waza; Ashi-waza and Koshi-waza; Ashi-waza and Sutemi-waza. There was a difference in Rio (F (2.689) = 33.545; p = .000;  $\omega^2$  = .466 [strong effect]). Post hoc Tukey test approved the difference between Te-waza and Ashi-waza; Ashi-waza and Koshi-waza; Ashi-waza and Sutemi-waza; Sutemi-waza and Koshi-waza. Descriptive analysis attested Ashi-waza dominance in Athens, London, and Rio. Sutemi-waza presented the highest values in Beijing.

Table 2. Volume of attack activity of classified groups: Te-waza (TW), Ashi-waza (AW), Sutemi-waza (SW), and Koshi-waza (KW); Min: Minimum; Max: Maximum; Med: Median;  $Q_1$ : first quartile;  $Q_3$ : third quartile; \*\*: Significant difference (P<.05)

		TW	AW	SW	KW	F	P	ω²
	(Min; Max)	(0.0; 13.0)	(2.0; 42.0)	(0.0; 21.0)	(0.0; 7.0)			
Athens	$Med(Q_1; Q_3)$	3.0 (1.0; 4.0)	8.0 (3.8; 13.3)	4.0 (1.0; 8.5)	0.0(0.0; 1.0)	15.107**	0.000	0.274
	M±SD	3.0±2.9	10.0±8.4	5.8±6.0	0.7±1.5			
	(Min; Max)	(0.0; 10.0)	(1.0; 26.0)	(0.0; 22.0)	(0.0; 8.0)			
Beijing	Med (O1; O3)	4.0 (1.0; 7.0)	4.5 (2.0; 8.0)	6.5 (1.0; 10.5)	0.0 (0.0; 1.0)	10.141**	0.000	0.197
	M±SD	4.1±3.3	6.9±6.8	7.3±6.5	0.8±1.8			
	(Min; Max)	(0.0; 13.0)	(0.0; 39.0)	(0.0; 11.0)	(0.0; 3.0)			
London	$Med(Q_1; Q_3)$	2.0 (1.0; 5.3)	9.5 (4.5; 15.3)	3.0 (0.0; 6.3)	0.0 (0.0; 1.0)	19.988**	0.000	0.337
	M±SD	3.5±3.6	11.8±10.1	3.9±3.7	0.6±0.9			
	(Min; Max)	(0.0; 8.0)	(0.0; 32.0)	(0.0; 12.0)	(0.0; 2.0)			
Rio	$Med(Q_1; Q_3)$	1.0 (0.0; 4.0)	9.5 (5.8; 20.0)	3.0 (1.0; 6.0)	0.0 (0.0; 0.0)	33.545**	0.000	0.466
	M±SD	1.9±2.3	12.3±8.8	3.8±3.5	0.2±0.5			

#### INTRA-OLYMPIC VOLUME OF ATTACK ACTIVITY OF UNCLASSIFIED TECHNICAL GROUPS

Table 3 presents the comparison of unclassified technical groups' volume of attack activity. There was a significant difference between technical groups in Athens (F (2.689) = 22.198; p = .000;  $\omega^2 = .362$  [strong effect]).

Table 3. Volume of attack activity of unclassified groups: Te-waza (TW), Ashi-waza (AW), Sutemi-waza (SW), and Koshi-waza (KW); Min: Minimum; Max: Maximum; Med: Median;  $Q_1$ : first quartile;  $Q_3$ : third quartile; \*\*: Significant difference (P<.05)

		TW	AW	SW	KW	F	P	ω²
	(Min; Max)	(0.0; 41.0)	(0.0; 11.0)	(0.0; 15.0)	(0.0; 10.0)			
Athens	Med (O <sub>1</sub> ; O <sub>3</sub> ) M±SD	10.5 (3.8; 16.5) 11.9±10.8	0.0 (0.0; 1.0) 1.3±2.5	1.0 (0.0; 2.3) 2.0±3.1	0.0 (0.0; 1.0) 1.2±2.3	22.198**	0.000	0.362
	(Min; Max)	(0.0; 32.0)	(0.0; 8.0)	(0.0; 15.0)	(0.0; 7.0)			
Beijing		8.5 (5.0; 16.8)	0.5 (0.0; 1.0)	1.0 (0.0; 4.0)	0.0 (0.0; 1.0)	28.090**	0.000	0.420
	M±SD (Min; Max)	12.0±9.6 (0.0; 32.0)	1.0±1.7 (0.0; 9.0)	2.6±3.9 (0.0; 8.0)	0.8±1.6 (0.0; 4.0)			
London	, , ,	5.5 (1.8; 13.3) 8.7±8.8	1.0 (0.0; 2.0) 1.8±2.5	0.0 (0.0; 1.0) 0.9±1.8	0.0 (0.0; 0.3) 0.4±0.9	19.498**	0.000	0.331
	(Min; Max)	(0.0; 22.0)	(0.0; 13.0)	(0.0; 15.0)	(0.0; 8.0)			
Rio	Med (Q <sub>1</sub> ; Q <sub>3</sub> ) M±SD	5.5 (0.8; 8.3) 5.6±6.3	1.0 (0.0; 2.3) 1.6±2.7	1.0 (0.0; 2.3) 1.9±3.2	0.0 (0.0; 1.0) 0.6±1.6	9.085**	0.000	0.178

Post hoc Tukey test confirmed the difference between Te-waza and Ashi-waza; Te-waza and Sutemi-waza; Te-waza and Koshi-waza. Technical groups of Beijing differed (F (2.689) = 28.090; p = .000;  $\omega^2$  = .420 [strong effect]). Post hoc Tukey test approved the difference between Te-waza and Ashi-waza; Te-waza and Sutemi-waza; Te-waza and Koshi-waza.

ANOVA confirmed a difference between London technical groups (F (2.689) = 19.498; p = .000;  $\omega^2$  = .331 [strong effect]). Post hoc Tukey test corroborated the difference between Te-waza and Ashi-waza; Te-waza and Sutemi-waza; Te-waza and Koshi-waza. Regarding the technical groups of Rio, their attack activity differed (F (2.689) = 9.085; p = .000;  $\omega^2$  = .178 [strong effect]). Post hoc Tukey test affirmed the difference between Te-waza and Ashi-waza; Te-waza and Sutemi-waza; Te-waza and Koshi-waza. Descriptive analysis showed the superiority of Te-waza during these four tournaments.

#### INTER-OLYMPIC TECHNICAL GROUPS' VOLUME OF ATTACK ACTIVITY

ANOVA did not confirm a difference of the attack activity of classified Te-waza (F (2.689) = 2.464; p = .066;  $\omega^2$  = .038 [small effect]), Ashi-waza (F (2.689) = 2.224, p = .090,  $\omega^2$  = .032 [small effect]), Sutemi-waza (F (2.689) = 3.025; p = .033;  $\omega^2$  = .051 [small effect]), and Koshi-waza (F (2.689) = 1.059, p = .370,  $\omega^2$  = .002 [small effect]). Also, no difference was found between the attack activity of unclassified Ashi-waza (F (2.689) = .559; p = .643;  $\omega^2$  = .000 [small effect]), Sutemi-waza (F (2.689) = 1.483; p = .223;  $\omega^2$  = .013 [small effect]), and Koshi-waza (F (2.689) = .986, p = .402;  $\omega^2$  = .000 [small effect]). Only Te-waza showed a difference (F (2.689) = 3.149; p = .028;  $\omega^2$  = .054 [small effect]). Post hoc Tukey test confirmed this difference between Athens and Rio; Beijing and Rio. Te-waza applied in Beijing revealed its superiority (Figure 1).




Fig. 1. Volume of attack activity of unclassified Te-waza

#### MEDALISTS' TECHNICAL REPERTOIRE

For the t Student test, the classified and unclassified technical repertoires of the medalists differed in Athens (t (2.005) = 4.701; p < .0001; 95% [2.048; 5.094]; d = 1.259 [strong effect]), Beijing (t (2.005) = 2.892; p = .006; 95% [.701; 3.870]; d = .704 [moderate effect]), London (t (2.005) = 6.759; p < .0001; 95% [2.839; 5.233]; d=1.686 [strong effect]), and Rio (t (2.005) = 4.056; p = .000; 95% [1.571; 4.643]; d = .963 [strong effect]). Descriptive analysis corroborated the supremacy of the classified technical repertoire of Athens, Beijing, London, and Rio over those of the unclassified techniques. ANOVA did not affirm the difference between the repertoires of classified techniques (F (2.689) = 1.509; p = .216;  $\omega^2$  = .013 [small effect]). By contrast, a difference was found between the unclassified techniques (F (2.689) = 3.051; p = .032;  $\omega^2$  = .052 [small effect]). Post hoc Tukey test confirmed the difference between Beijing and Rio repertoires. Unclassified techniques repertoires performed at Beijing showed the highest values (Table 4).

Table 4. Medalists' repertoires of classified (CT) and unclassified (UCT) techniques. M: Mean; SD: Standard deviation; Min: Minimum; Max: Maximum; Med: Median;  $Q_1$ : first quartile;  $Q_3$ : third quartile; \*: No difference; \*\*: Significant difference (P<.05)

		Athens	Beijing	London	Rio	M±SD	F	P	ω <sup>2</sup>
	(Min; Max)	(3.0; 15.0)	(3.0; 15.0)	(2.0; 12.0)	(1.0; 14.0)				
CT	$Med(Q_1; Q_3)$	8.0 (6.0; 9.3)	6.5 (5.0; 10.0)	7.0 (6.0; 10.0)	6.0 (4.0; 9.0)	7.4±3.0	1.509*	0.216	0.013
	M±SD	8.1±2.8	7.4±3.2	7.6±2.4	6.5±3.2				
	(Min; Max)	(0.0; 12.0)	(1.0; 13.0)	(0.0; 8.0)	(0.0; 9.0)				
UCT	Med (Q1; Q3)	4.0 (2.8; 5.5)	4.0 (4.0; 7.0)	4.0 (2.0; 5.3)	2.5 (1.8; 5.0)	4.2±2.6	3.051**	0.032	0.052
	M±SD	4.6±2.8	5.1±2.6	3.6±2.1	3.4±2.5				

#### INTRA-OLYMPIC REPERTOIRE OF CLASSIFIED TECHNICAL GROUPS

Table 5 compares repertoire of classified technical groups. There was a difference in Athens repertoires (F (2.689) = 27.491; p = .000;  $\omega^2$  = .415 [strong effect]). Post hoc Tukey test confirmed a difference between Te-waza and Ashi-waza; Te-waza and Koshi-waza; Ashi-waza and Sutemi-waza; Ashi-waza and Koshi-waza and Koshi-waza and Koshi-waza. ANOVA confirm a difference among Beijing repertoires (F (2.689) = 16.505; p = .000;  $\omega^2$  = .293 [strong effect]). Post hoc Tukey test corroborated a difference between Te-waza and Ashi-waza; Te-waza and Koshi-waza; Ashi-waza and Koshi-waza; Sutemi-waza and Koshi-waza. Repertoires applied in London differed (F (2.689) = 36.500; p = .000;  $\omega^2$  = .487 [strong effect]). Post hoc Tukey test approved the difference between Te-waza and Ashi-waza; Ashi-waza and Sutemi-waza; Ashi-waza and Koshi-waza; Sutemi-waza and Koshi-waza and Koshi-waza; Te-waza and Sutemi-waza; Ashi-waza and Sutemi-waza; Sutemi-waza and Koshi-waza; Sutemi-waza; Sutemi-waza and Koshi-waza; Sutemi-waza; Sute

Table 5. Repertoires of classified groups: Te-waza (TW), Ashi-waza (AW), Sutemi-waza (SW), and Koshi-waza (KW); Min: Minimum; Max: Maximum; Med: Median;  $Q_1$ : first quartile;  $Q_3$ : third quartile; \*\*: Significant difference (P<.05)

		TW	AW	SW	KW	F	P	ω <sup>2</sup>
	(Min; Max)	(0.0; 5.0)	(1.0; 9.0)	(0.0; 6.0)	(0.0; 1.0)			
Athens	$Med(Q_1; Q_3)$	1.0 (1.0; 3.0)	4.0 (2.0; 5.0)	2.0 (1.0; 2.3)	0.0 (0.0; 1.0)	27.491**	0.000	0.415
	M±SD	1.9±1.5	4.0±2.0	1.9±1.5	$0.4\pm0.5$			
	(Min; Max)	(0.0; 5.0)	(1.0; 7.0)	(0.0; 5.0)	(0.0; 3.0)			
Beijing	$Med(O_1; O_3)$	2.0 (1.0; 3.0)	2.0 (2.0; 4.0)	2.0 (1.0; 3.3)	0.0 (0.0; 1.0)	16.505**	0.000	0.293
	M±SD	1.8±1.3	2.9±1.7	2.3±1.6	$0.4\pm0.7$			
	(Min; Max)	(0.0; 4.0)	(0.0; 9.0)	(0.0; 5.0)	(0.0; 2.0)			
London	$Med(Q_1; Q_3)$	1.0 (1.0; 2.0)	4.0 (3.0; 5.3)	2.0 (0.0; 3.0)	0.0 (0.0; 1.0)	36.500**	0.000	0.487
	M±SD	1.3±0.9	4.2±2.1	1.8±1.5	$0.4\pm0.6$			
	(Min; Max)	(0.0; 2.0)	(0.0; 9.0)	(0.0; 4.0)	(0.0; 1.0)			
Rio	$Med(Q_1; Q_3)$	0.5 (0.0; 1.0)	4.0 (2.0; 5.3)	1.5 (0.0; 3.0)	0.0 (0.0; 0.0)	43.183**	0.000	0.530
	M±SD	0.6±0.6	4.1±2.3	1.7±1.5	0.1±0.4			

#### INTRA-OLYMPIC REPERTOIRE OF UNCLASSIFIED TECHNICAL GROUPS

Table 6 provides repertoires of unclassified technical groups. Statistical analysis revealed a difference between Athens repertoires (F (2.689) = 23.280; p = .000;  $\omega^2$  = .374 [strong effect]). Post hoc Tukey test approved the difference between Te-waza and Ashi-waza; Te-waza and Sutemi-waza; Te-waza and Koshi-waza. There was a difference between Beijing repertoires (F (2.689) = 42.636; p = .000;  $\omega^2$  = .527 [strong effect]). Post hoc Tukey test confirmed the difference between Te-waza and Ashi-waza; Te-waza and Sutemi-waza; Te-waza and Koshi-waza. ANOVA confirmed a difference among London repertoires (F (2.689) = 17.954; p = .000;  $\omega^2$  = .312 [strong effect]). Post hoc Tukey test corroborated the difference between Te-waza and Ashi-waza; Te-waza and Sutemi-waza; Te-waza and Koshi-waza. Repertoires performed in Rio differed (F (2.689) = 5.013; p = .003;  $\omega^2$  = .097 [moderate effect]). Post hoc Tukey test affirmed the difference between Te-waza and Koshi-waza. Te-waza proved the highest values in these four Games.

Table 6. Repertoires of unclassified groups: Te-waza (TW), Ashi-waza (AW), Sutemi-waza (SW), and Koshi-waza (KW); Min: Minimum; Max: Maximum; Med: Median;  $Q_1$ : first quartile;  $Q_3$ : third quartile; \*\*: Significant difference (P<.05)

		TW	AW	SW	KW	F	P	ω²
	(Min; Max)	(0.0; 5.0)	(0.0; 3.0)	(0.0; 4.0)	(0.0; 2.0)			
Athens	$Med(Q_1; Q_3)$	2.5 (1.0; 4.3)	0.0 (0.0; 1.0)	1.0 (0.0; 1.0)	0.0(0.0; 1.0)	23.280**	0.000	0.374
	M±SD	2.6±1.7	0.6±0.8	1.0±1.0	0.4±0.6			
	(Min; Max)	(0.0; 7.0)	(0.0; 2.0)	(0.0; 4.0)	(0.0; 2.0)			
Beijing	Med (O <sub>1</sub> ; O <sub>3</sub> )	3.0 (2.0; 4.3)	0.5 (0.0; 1.0)	1.0 (0.0; 1.3)	0.0 (0.0; 1.0)	42.636**	0.000	0.527
	M±SD	3.3±1.8	0.6±0.6	0.9±1.1	0.4±0.6			
	(Min; Max)	(0.0; 4.0)	(0.0; 3.0)	(0.0; 3.0)	(0.0; 2.0)			
London	$Med(Q_1; Q_3)$	2.0 (1.0; 3.0)	1.0 (0.0; 1.0)	0.0(0.0; 1.0)	0.0 (0.0; 0.3)	17.954**	0.000	0.312
	M±SD	1.9±1.1	0.9±0.9	$0.5\pm0.8$	$0.3\pm0.6$			
	(Min; Max)	(0.0; 4.0)	(0.0; 4.0)	(0.0; 3.0)	(0.0; 2.0)			
Rio	$Med(Q_1; Q_3)$	1.0 (0.8; 2.0)	1.0 (0.0; 1.0)	0.5 (0.0; 1.0)	0.0 (0.0; 1.0)	5.013**	0.000	0.097
	M±SD	1.4±1.2	0.9±1.1	0.7±0.9	0.4±0.6			

#### INTER-OLYMPIC TECHNICAL GROUPS' REPERTOIRE

No difference was found between the classified repertoires of Ashi-waza (F (2.689) = 2.225; p = .086;  $\omega^2$  = .033 [small effect]), Sutemi-waza (F (2.689) = .886; p = .451;  $\omega^2$  = .000 [small effect]), and Koshi-waza (F (2.689) = 1.479; p = .224;  $\omega^2$  = .013 [small effect]). In contrast, Te-waza repertoires differed (F (2.689) = 7.779; p < .001;  $\omega^2$  = .154 [strong effect]). Post hoc Tukey test confirmed the difference between Te-waza repertoires of Athens and Rio; Beijing and Rio. Descriptive analysis certified the ascendancy of Te-waza at Athens and Beijing over Rio (Figure 2). ANOVA did not reveal a difference between the unclassified repertoires of Ashi-waza (F (2.69) = 1.160; p = .328;  $\omega^2$  = .004 [small effect]), Sutemi-waza (F (2.69) = 1.348; p = .263;  $\omega^2$  = .009 [small effect]), and Koshi-waza (F (2.69) = .099; p = .961;  $\omega^2$  = .000 [small effect]). Te-waza repertoires differed (F (2.69) = 9.529; p < .001;  $\omega^2$  = .186 [strong effect]). Post hoc Tukey test approved this difference between Te-waza repertoires of Beijing and London; Beijing and Rio. Te-waza repertoire of Beijing showed its dominance over London and Rio (Figure 2).




Fig. 2. Medalists' classified (C) and unclassified (UC) Te-waza repertoires in Athens (ATH), Beijing (BEJ), London (LON), and Rio de Janeiro (RIO)

#### MEDALISTS' TECHNICAL EFFECTIVENESS

The t Student test did not discern any significant difference between classified and unclassified technical effectiveness in Beijing (t (2.005) = .446; p = .657; 95% [-.748; 1.177]; d = .119 [small effect]), London (t (2.005) = 1.186; p = .241; 95% [-.296; 1.153]; d = .317 [small effect]), and Athens (t (2.005) = 1.442; p = .155; 95% [-.321; 1.964]; d = .385 [small effect]). A difference was found in Rio (t (2.005) = 2.251; p = .028; 95% [.094; 1.621]; d = .602 [moderate effect]). Effectiveness of classified techniques was higher than the unclassified technique in this tournament. Additionally, ANOVA revealed a difference between the technical classified effectiveness (F (2.689) = 5.522; p = .001;  $\omega^2$  = .108 [strong effect]). Post hoc Tukey test approved the difference between Athens and London; Athens and Rio. Also, there was a difference in the unclassified techniques effectiveness (F (2.689) = 3.961; p = .010;  $\omega^2$  = .073 [moderate effect]). Post hoc Tukey test confirmed the difference between Athens and London, and Athens and Rio. Descriptive analysis corroborated the dominance of the effectiveness of the classified and unclassified techniques applied in Athens and Beijing (Table 7).

Table 7. Medalists' technical classified (C) and unclassified (UCT) effectiveness. M: Mean; SD: Standard deviation; Min: Minimum; Max: Maximum; Med: Median;  $Q_1$ : first quartile;  $Q_3$ : third quartile; \*\*: Significant difference (P<.05)

		Athens	Beijing	London	Rio	M±SD	F	P	ω2
	(Min; Max)	(0.0; 7.0)	(0.0; 6.0)	(0.0; 5.0)	(0.0; 6.0)				
CT	$Med(Q_1; Q_3)$	4.0 (2.0; 5.0)	2.0 (1.0; 4.0)	2.0 (1.0; 2.3)	2.0 (1.0; 3.0)	2.6±1.8	5.522**	0.001	0.108
	M±SD	3.6±2.0	2.5±1.8	1.8±1.3	2.4±1.5				
	(Min; Max)	(0.0; 10.0)	(0.0; 6.0)	(0.0; 5.0)	(0.0; 4.0)				
UCT	Med (Q1; Q3)	2.0 (1.0; 4.0)	2.0 (1.0; 3.0)	1.0 (0.0; 2.0)	1.0 (0.0; 3.0)	2.0±1.8	3.961**	0.010	0.073
	M±SD	2.8±2.2	2.3±1.8	1.4±1.4	1.5±1.4				

#### INTER-OLYMPIC CLASSIFIED TECHNICAL GROUPS' EFFECTIVENESS

Table 8 shows the effectiveness of the classified technical groups. Statistical analysis proved a difference between the classified technical effectiveness of Athens (F (2.689) = 5.893; p = .001;  $\omega^2$  = .116 [strong effect]). Post hoc Tukey test confirmed the difference between Te-waza and Koshi-waza; Ashi-waza and Koshi-waza; Sutemi-waza and Koshi-waza. There was a difference among Beijing groups effectiveness (F (2.689) = 4.587;

p=.005;  $\omega^2=.088$  [moderate effect]). Post hoc Tukey test approved the difference between Te-waza and Koshi-waza; Ashi-waza and Koshi-waza; Sutemi-waza and Koshi-waza. ANOVA determined a difference between the effectiveness of London groups (F (2.689) = 4.259; p=.007;  $\omega^2=.080$  [moderate effect]). Post hoc Tukey test corroborated the difference between Te-waza and Koshi-waza; Ashi-waza and Koshi-waza. Rio group effectiveness differed (F (2.689) = 11.494; p=.000;  $\omega^2=.219$  [strong effect]). Post hoc Tukey test affirmed the difference between Te-waza and Ashi-waza, Ashi-waza and Sutemi-waza, Ashi-waza and Koshi-waza, Sutemi-waza and Koshi-waza. As a result, Ashi-waza effectiveness dominated Athens and Rio, Sutemi-waza in Beijing, Te-waza and Ashi-waza in London.

Table 8. Effectiveness of the classified groups: Te-waza (TW), Ashi-waza (AW), Sutemi-waza (SW), and Koshi-waza (KW); Min: Minimum; Max: Maximum; Med: Median;  $Q_1$ : first quartile;  $Q_3$ : third quartile; \*\*: Significant difference (P<.05)

		TW	AW	SW	KW	F	P	$\omega^2$
	(Min; Max)	(0.0; 4.0)	(0.0; 5.0)	(0.0; 6.0)	(0.0; 1.0)			
Athens	$Med(Q_1; Q_3)$	1.0 (0.0; 1.3)	1.0 (0.0; 2.0)	1.0 (0.0; 2.0)	0.0 (0.0; 0.0)	5.893**	0.001	0.116
	M±SD	1.0±1.2	1.3±1.5	1.2±1.4	0.1±0.3			
	(Min; Max)	(0.0; 3.0)	(0.0; 3.0)	(0.0; 4.0)	(0.0; 1.0)			
Beijing	$Med(O_1; O_3)$	0.0 (0.0; 1.0)	0.0 (0.0; 1.3)	1.0 (0.0; 1.0)	0.0 (0.0; 0.0)	4.587**	0.005	0.088
	M±SD	0.6±0.8	0.8±1.1	0.9±1.2	0.1±0.3			
	(Min; Max)	(0.0; 3.0)	(0.0; 3.0)	(0.0; 2.0)	(0.0; 2.0)			
London	$Med(Q_1; Q_3)$	0.0 (0.0; 1.0)	0.5 (0.0; 1.0)	0.0 (0.0; 0.0)	0.0 (0.0; 0.0)	4.259**	0.007	0.080
	M±SD	0.7±0.9	0.7±0.9	0.3±0.7	0.1±0.4			
	(Min; Max)	(0.0; 2.0)	(0.0; 5.0)	(0.0; 2.0)	(0.0; 1.0)			
Rio	$Med(Q_1; Q_3)$	0.0 (0.0; 1.0)	1.0 (0.0; 2.0)	0.0(0.0; 1.0)	0.0 (0.0; 0.0)	11.494**	0.000	0.219
	M±SD	0.4±0.6	1.3±1.3	0.7±0.8	$0.0\pm0.2$			

#### INTER-OLYMPIC UNCLASSIFIED TECHNICAL GROUPS' EFFECTIVENESS

Table 9 presents the effectiveness of the unclassified technical groups. ANOVA revealed a difference between technical groups' effectiveness of Athens (F (2.689) = 8.060; p = .000;  $\omega^2 = .159$  [strong effect]).

Table 9. Effectiveness of the unclassified groups: Te-waza (TW), Ashi-waza (AW), Sutemi-waza (SW), and Koshi-waza (KW); Min: Minimum; Max: Maximum; Med: Median;  $Q_1$ : first quartile;  $Q_3$ : third quartile; \*\*: Significant difference (P<.05)

	TW	AW	SW	KW	F	P	$\omega^2$
Min; Max)	(0.0; 8.0)	(0.0; 2.0)	(0.0; 4.0)	(0.0; 4.0)			
ed $(\mathbf{Q}_1; \mathbf{Q}_3)$	1.0 (0.0; 2.0)	0.0 (0.0; 1.0)	0.0(0.0; 1.0)	0.0 (0.0; 0.0)	8.060**	0.000	0.159
M±SD	1.7±2.1	0.4±0.6	$0.5\pm1.0$	$0.3\pm0.8$			
Min; Max)	(0.0; 4.0)	(0.0; 3.0)	(0.0; 3.0)	(0.0; 2.0)			
ed (O <sub>1</sub> ; O <sub>3</sub> )	0.0 (0.0; 3.0)	0.0 (0.0; 1.0)	0.0(0.0; 1.0)	0.0 (0.0; 0.0)	5.883**	0.001	0.116
M±SD	1.2±1.5	$0.4\pm0.7$	$0.5\pm0.8$	0.2±0.5			
Min; Max)	(0.0; 3.0)	(0.0; 3.0)	(0.0; 2.0)	(0.0; 1.0)			
ed $(\mathbf{Q}_1; \mathbf{Q}_3)$	1.0 (0.0; 1.0)	0.0 (0.0; 0.3)	0.0 (0.0; 0.0)	0.0 (0.0; 0.0)	5.199**	0.002	0.101
M±SD	$0.7\pm0.8$	$0.4\pm0.9$	$0.1\pm0.4$	$0.1\pm0.3$			
Min; Max)	(0.0; 4.0)	(0.0; 3.0)	(0.0; 2.0)	(0.0; 2.0)			
ed $(\mathbf{Q}_1; \mathbf{Q}_3)$	0.0 (0.0; 1.0)	0.0 (0.0; 0.0)	0.0 (0.0; 1.0)	0.0 (0.0; 0.0)	3.588**	0.016	0.065
M±SD	0.8±1.1	0.4±0.8	0.3±0.5	0.1±0.4			
v e	d (Q <sub>1</sub> ; Q <sub>3</sub> )  M±SD  fin; Max)  d (O <sub>1</sub> ; O <sub>3</sub> )  M±SD  fin; Max)  d (Q <sub>1</sub> ; Q <sub>3</sub> )  M±SD  fin; Max)  d (Q <sub>1</sub> ; Q <sub>3</sub> )	$\begin{array}{llll} \text{fin; Max)} & (0.0; 8.0) \\ \text{d} & (Q_1; Q_3) & 1.0 & (0.0; 2.0) \\ \text{M\pm SD} & 1.7\pm 2.1 \\ \text{fin; Max)} & (0.0; 4.0) \\ \text{d} & (Q_1; Q_3) & 0.0 & (0.0; 3.0) \\ \text{M\pm SD} & 1.2\pm 1.5 \\ \text{fin; Max)} & (0.0; 3.0) \\ \text{d} & (Q_1; Q_3) & 1.0 & (0.0; 1.0) \\ \text{M\pm SD} & 0.7\pm 0.8 \\ \text{fin; Max)} & (0.0; 4.0) \\ \text{d} & (Q_1; Q_3) & 0.0 & (0.0; 1.0) \\ \end{array}$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{array}{llllllllllllllllllllllllllllllllllll$

Post hoc Tukey test confirmed the difference between Te-waza and Ashi-waza, Te-waza and Sutemi-waza, Te-waza and Koshi-waza. There was a difference between the effectiveness of Beijing groups (F (2.689) = 5.883; p = .001;  $\omega^2 = .116$  [moderate effect]). Post hoc Tukey test affirmed the difference between Te-

waza and Ashi-waza, Te-waza and Sutemi-waza, Te-waza and Koshi-waza. Statistical analysis showed a difference between London groups (F (2.689) = 5.199; p = .002;  $\omega^2$  = .101 [moderate effect]). The post hoc Tukey test corroborated the difference between Te-waza and Sutemi-waza, Te-waza and Koshi-waza. Effectiveness of Rio groups differed (F (2.689) = 3.588; p = .016;  $\omega^2$  = .065 [small effect]). Post hoc Tukey test approved the difference between Te-waza and Koshi-waza. To sum up, Te-waza effectiveness values dominated the four Games.

#### INTER-OLYMPIC TECHNICAL GROUPS' EFFECTIVENESS

Statistical analysis highlighted a difference between the classified technical groups' effectiveness of Te-waza (F (2.689) = 2.104; p = .104;  $\omega^2$  = .029 [small effect]), Ashiwaza (F (2.689) = 1.900; p = .134;  $\omega^2$  = .024 [small effect]), and Koshi-waza (F (2.689) = .347; p = .791;  $\omega^2$  = .000 [small effect]). Sutemi-waza affirmed a significant difference (F (2.689) = 3.259; p = .024;  $\omega^2$  = .057 [small effect]). Post hoc Tukey test corroborated this difference between Athens and London. Athens groups dominated this event (Table 11). About the unclassified technical groups, there was no difference for Ashi-waza (F (2.689) = .059; p = .981;  $\omega^2$  = .000 [small effect]), Sutemi-waza (F (2.689) = 1.592; p = .196;  $\omega^2$  = .016 [small effect]), and Koshi-waza (F (2.689) = .460; p = .710;  $\omega^2$  = .000 [small effect]). Te-waza approved a significant difference (F (2.689) = 2.783; p = .044;  $\omega^2$  = .046 [small effect]). Post hoc Tukey test confirmed the difference between Athens and London effectiveness. Athens groups showed the highest values of effectiveness (Table 10).

Table 10. Medalists' Sutemi-waza (SW) classified and Te-waza (TW) unclassified effectiveness: Min: Minim	ıum;
Max: Maximum; Med: Median; O.: first quartile; O.: third quartile; **: Significant difference (P<.05)	

		Athens	Beijing	London	Rio	F	P	$\omega^2$
	(Min; Max)	(0.0; 6.0)	(0.0; 4.0)	(0.0; 2.0)	(0.0; 2.0)			
SW	Med (Q1; Q3)	1.0 (0.0; 2.0)	1.0 (0.0; 1.0)	0.0 (0.0; 0.0)	0.0 (0.0; 1.0)	3.259**	0.024	0.057
	M±SD	1.2±1.4	0.9±1.2	0.3±0.7	0.7±0.8			
	(Min; Max)	(0.0; 8.0)	(0.0; 4.0)	(0.0; 3.0)	(0.0; 4.0)			
TW	Med (Q1; Q3)	1.0 (0.0; 2.0)	0.0 (0.0; 3.0)	1.0 (0.0; 1.0)	0.0 (0.0; 1.0)	2.783**	0.044	0.046
	M±SD	1.7±2.1	1.2±1.5	0.7±0.8	$0.8 \pm 1.1$			

#### DISCUSSION

The present analysis confirms the effect of the classified and unclassified techniques on the medalists' achievements. Their volume of attack activity, composed of 19.2 ±10.0 classified attacks and 13.6 ±10.5 unclassified attacks, shows the dynamism of their competitive engagement. These outcomes are contrary to that of Brito et al. [30] who discovered 8.3 ±6.4 attacks; Osipov et al. [31] found 10.1 ±0.3 attacks; Koptev et al. [32] determined 10.6 ±0.4 attacks, and Pereira et al. [3] estimated 16.0 ±11.3 attacks. The medalists' combativeness aims to push opponents to defensive faults, but also to be penalized by the referees [33]. Pacing strategy and decision making of medalists can explain their attack activity [34]. The similar contribution of both techniques in Athens and Beijing proves the power of their integration into the medalists' attack systems. But medalists of London and Rio reconsider this contribution because of the IJF rule sanctioning direct attack with hands below the belt by Hansoku-make [35]. Earlier studies have concluded the impact of this rule on judokas attack activity [4, 36-38]. To decrease its influence on their performance, judokas develop new technical and tactical approaches [39-42]. Medalists' attack system, through classified techniques, highlights two configurations. First, Ashiwaza dominates ahead of Sutemi-waza, Te-waza, and Koshi-waza (Athens, London, and

Rio). Second, Sutemi-waza leads ahead of Ashi-waza, Te-waza, and Koshi-waza (Beijing). Previous research has corroborated the Ashi-waza domination tendency [19, 43-47]. Two configurations of unclassified techniques emerge. First, Te-waza runs ahead of Sutemiwaza, Ashi-waza, and Koshi-waza (Athens, Beijing, and Rio). Second, Te-waza leads ahead of Ashi-waza, Sutemi-waza, and Koshi-waza (London). Unclassified Te-waza offers more creativity than other groups, explaining its dominance. Many hand placements for grabbing the opponent ensure it a distinct advantage. For instance, Seoi-nage variations are difficult to avoid. Their Kuzushi is null or less important, and Tsukuri null or easier. They are favorable or less expensive energetically, but also useful in surmounting the opponent's grips [48]. Being bipedal, Te-waza techniques show more stability than those performed in monopodial conditions [49]. Judo Olympic studies attest to the supremacy of Te-waza techniques [17, 50, 51, 15, 52]. Researchers name official techniques and their variants in the same way. To remove any ambiguity methodologically, it is desirable to give names to these unclassified techniques [8]. Frequencies of classified Sutemi-waza and unclassified Te-waza decrease after Beijing. This downward trend of Sutemi-waza has been confirmed in World Championships 2005-2011 [4] and London Olympic Games [36]. The change of the tactical status of some Te-waza techniques declines their frequencies [38].

The repertoire depth remains the best way to appreciate the judoka technical profile. Also, counteracting sophisticated defensive devices is not a simple task. For this reason, repertoire richness can be the solution, enabling an effective attack system organization around these movements. Judokas have to master a Tokui-waza (favored technique) and several supplementary throws, covering all directions attack [53]. A limited technical repertoire reduces offensive expression. Not being able to solve all problems, the chances of winning at the highest level are minimal. Technical richness influences the technical and tactical possibilities of variability [54]. A wide attacker repertoire increases the uncertainty of the opponent; neutralization options are difficult to choose [55]. Therefore, medalists favor the classified technical repertoires at these four tournaments. Unclassified technical repertoires decreasing in Beijing and Rio corroborate this choice. Regarding classified technical groups, Ashi-waza dominates these events ahead of Sutemiwaza, Te-waza, and Koshi-waza. This tendency is confirmed by the analysis of the Open Japanese Championships 2003-2012 [46]. Choosing a technical group responds to tactical considerations and its effectiveness [56]. In the same way, unclassified technical groups present two configurations. First, Te-waza leads in front of Sutemi-waza, Ashi-waza, and Koshi-waza (Athens and Beijing). Second, Te-waza runs ahead of Ashi-waza, Sutemiwaza, and Koshi-waza (London and Rio). Koshi-waza is relegated to an occasional group. Highlighting different configurations is proof of the dynamism of judo and its evolution. Only Te-waza of both techniques decreases since Beijing because of refereeing revisions [35, 57]. Other groups not differ. Banning of Morote-gari, Kuchiki-taoshi, Kibisu-gaeshi, Kataguruma, and Sukui-nage cause this prejudice [58, 57]. Several studies have established the global technical repertoire of judo competition [44-47, 50, 51, 59-62]. However, few researchers identify the repertoire of an elite judoka [63, 9, 55]. These researchers do not determine the question of their status. Therefore, the current research is much more precise in this field. The Olympic medalist repertoire includes 7.4 ±3.0 classified techniques and 4.2 ±2.6 unclassified techniques. These findings contradict the high-level coaches' opinions who recommend 5 to 7 techniques [64].

Judo performance results from effective gestures. Features of medalists are their ability to execute perfect techniques in complex competition conditions. For instance, medalists produce  $2.6\pm3.8$  effective actions at the World Championship 2017 [3]. Because of its global approach, this study does not mention the status of these effective actions. In comparison, the effectiveness of Olympic medalists involves  $2.6\pm1.8$  classified actions and  $2.0\pm1.8$  unclassified actions. To achieve this result, technical excellence is necessary. Both

techniques have similar effectiveness in Athens, Beijing, and London. In contrast, Rio de Janeiro records the predominance of the classified technique's effectiveness. On another side, Athens reveals the highest level effectiveness of both classified and unclassified techniques. Classified technical groups develop three effectiveness configurations. First, Ashi-waza leads ahead of Sutemi-waza, Te-waza, and Koshi-waza (Athens and Rio); second, Sutemi-waza dominates ahead of Ashi-waza, Te-waza, and Koshi-waza (Beijing). Third, Ashi-waza and Te-waza run ahead of Sutemi-waza and Koshi-waza (London). However, many studies have reflected this Ashi-waza high effectiveness [65, 36, 62, 66, 44]. The IJF promotion for dynamic judo affects judokas for establishing stable strategies. As a practical response, judokas adopt several structures to conform to these injunctions. The 2005-2010 World Championships analysis confirms this effectiveness trend [4]. Sutemi-waza's effectiveness collapses in London also because of the IJF rule. Unclassified technical groups reveal two effectiveness structures. First, Te-waza dominates ahead of Sutemi-waza, Ashi-waza, and Koshi-waza (Athens and Beijing). Second, Te-waza leads ahead of Ashi-waza, Sutemi-waza, and Koshi-waza (London and Rio). Previous studies have corroborated this last configuration [50, 60]. Despite its significant decrease in effectiveness, Te-waza stays effective.

#### CONCLUSION

The current study showed the coherent combination of classified and unclassified techniques, contributing to the medalists' performance. However, a high volume of attacks characterized their offensive engagement. For their offensive system, medalists preferred classified Ashi-waza and unclassified Te-waza. Their high effectiveness justified this capital role. The Koshi-waza insignificant contribution is worrisome. Also, its reintegration into high-level judo would be a fruitful field for judo experts. Solving this problem that affected judokas attack systems is a necessity. IJF refereeing rules influenced the attack activity of both techniques in London and Rio. The medalists' technical repertoire confirmed the know-how required at this level of competition. Different offensive configurations highlighted the judo dynamism at these Olympics. Banning several techniques and their variants influenced Te-waza's effectiveness, which decreased in the last two Olympic Games. Federations should give serious thought to unclassified techniques. Incorporating these skills will not prejudice the essence of judo. This need responds to technical, tactical, and aesthetic considerations. As an Olympic sport, the judo attractiveness is vital to its competitiveness against other disciplines. The findings of this study could help coaches in preparing their judokas for future competitions. The research had obvious material limitations to identify complete medalists attack systems. Further research is necessary to determine the effect of grips types, attack directions, and tactical sequences.

#### REFERENCES

- [1] Heinisch HD, Oswald R, Ultsch D, Bazynski M, Birod M, Busch D. Analysis of the Olympic Games 2012 in Judo. J Appl Train Sci. 2013;19(2):121-150.
- [2] Kons RL, Da Silva Júnior JN, Fischer G, Detanico D. Olympic and Paralympic Games Rio 2016: A technical-tactical analysis of judo matches. Kinesiology. 2018;50(2):204-210. https://doi.org/10.26582/k.50.2.7
- [3] Pereira Martins F, Scarano Dualiby Pinto de Souza L, Pinheiro de Campos R, Bromley SJ, Takito MY, Franchini E. Techniques utilised at 2017 Judo World Championship and their classification: comparisons between sexes, weight categories, winners and non-winners. Ido Movement for Culture. J Mart Art Anthropol. 2019;19(1):58-65.
- [4] Boguszewski D. Relationships between the rules and the way of struggle applied by top world male judoists. Arch Budo. 2011;7(1):27-32. https://doi.org/10.2478/v10078-011-0009-x
- [5] Durand-Bush N, Salmela JH. The development and maintenance of expert athletic performance: Perceptions of World and Olympic Champions. J Appl Sport Psychol. 2002;14(3):154-171. https://doi.org/10.1080/10413200290103473
- [6] De Crée C, Edmonds DA. A technical-pedagogical and historical reflection on the conceptual and biomechanical properties of Ko<sup>-</sup>do<sup>-</sup>kan"ko-uchi-gari"[minor innerreaping throw]. Comphrehen Psychol. 2012;1(1):1-13. https://doi.org/10.2466/05.25.CP.1.1
- [7] Takahashi M, et al. Develop effective judo strategies and tactics. Mastering judo. Champaign, United States: Human Kinetics; 2005.

- [8] Inman R. Shin-Kokusai-Shiaiwaza (Classification of innovative international competition techniques). 4th International Judo Federation World Judo Research Symposium. Cairo; 2005.
- [9] Inman R. 40 Years of judo waza. British Judo Association National Technical Conference; 2009.
- [10] Scott S. The KHARBARELLI projection: How and why this technique works. Revista de Artes Marciales Asiáticas. 2008;3(3):54-57. https://doi.org/10.18002/rama.v3i3.376
- [11] Memmert D. Sports and Creativity. In: Runco M, Pritzker S, eds. Encyclopedia of creativity (second ed.). San Diego: Academic Press; 2011, 373-378. https://doi.org/10.1016/B978-0-12-375038-9.00207-7
- [12] Ait Ali Yahia A, Calmet M. The contribution of unclassified techniques to the offensive activity of judokas medalists in the category (-60 kg) at the 2004-2012 Olympic Games. eJRIEPS. 2019;44:4-25.
- [13] Sacripanti A. How to enhance effectiveness of direct attack judo throws; 2014. Retrieved from https://arxiv.org/vc/arxiv/papers/1401/1401.1102v1.pdf.
- [14] Sacripanti A. Kumi-Kata biomechanics and a survey of related researches. Roma: University of Rome Tor Vergata; 2013.
- [15] Sterkowicz S, Sacripanti A, Sterkowicz-Przybycien K. Techniques frequently used during London Olympic judo tournaments: A biomechanical approach. Arch Budo. 2013;9(1):51-58. https://doi.org/10.12659/AOB.883848
- [16] Sterkowicz S, Franchini E. Techniques used by judoists during the world and olympic tournaments 1995-1999. Hum Mov. 2000;2(2):24-33.
- [17] Witkowski K, Maśliński J, Kotwica T. Analysis of fighting actions of judo competitors on the basis of the men's tournament during the 2008 Olympic Games in Beijing. J Combat Sport Mart Art. 2012;3(2):121-129. https://doi. org/10.5604/20815735.1047659
- [18] Ait Ali Yahia A. A technical and tactical profile of the judokas medallists. Case of the category (-81 kg). Sciences et Pratiques des Activités Physiques Sportives et Artistiques. 2014;5(1):19-29.
- [19] Sacripanti A. The increasing importance of Ashi-waza, in high-level competition. (Their Biomechanics, and small changes in the form). In: Sertić H, Čorak S, Segedi I, eds. 6th European judo science & resaerch symposium: Applicable research in judo (Proceedings Book). Poreč Croatia; 2019, 66-75.
- [20] Ait Ali Yahia A. Kokusai-shiai-waza and its impact on the performance of medalists in the category (-81 kg) at the Beijing 2008 and London 2012 Olympic Games. In: 12th JORRESCAM: Health, combats sports and martial arts. Toulon. France: 2014. 10-11.
- [21] Mirallas Sariola JA. La acción técnico-táctica en el judo; 2001. Retrieved from IdeaSporTraining; www. mirallas.org.
- [22] Ohlenkamp N. Official international judo federation techniques; 1999. Retrieved from http://judoinfo.com/wazalist.htm.
- [23] Daigo T. Kodokan judo: Throwing techniques. Tokyo: Kodansha International; 2005.
- [24] FFJDA. French method of teaching judo-jujitsu. Paris: FFJDA (Education and Development Department); 1989.
- [25] Anguera MT, Hernández Mendo A. Observational methodology in the field of sport. e-balonmano.com: Revista de Ciencias del Deporte. 2013;9(3):135-160.
- [26] Ait Ali Yahia A. The performance of judo contest at the Olympic Games as a frame of reference for the know-how and decisional knowledge of high-level judokas (Doctoral dissertation). University of Algiers 3, Algiers; 2015.
- [27] Ait Ali Yahia A. The analysis of offensive activity of the judokas médalists at the 2004-2016 Olympic Games. In: ACAPS, 18th Congrès International. Paris, France; 2019.
- [28] Cohen J. Statistical power analysis for the bahavioral sciences (2nd ed.). Hillsdale, New Jersey: Lawrence Erlbaum Associates; 1988.
- [29] Keppel G. Design and analysis: A researcher's handbook (3rd ed.). Englewood Cliffs, New Jersey: Prentice-Hal; 1991.
- [30] Brito CJ, Miarka B, López Díaz de Durana A, Fukuda DH. Home advantage in judo: Analysis by the combat phase, penalties and the type of attack. J Hum Kinet. 2017;57:213-220. https://doi.org/10.1515/hukin-2017-0062
- [31] Osipov A, Kudryavtsev M, Koptev O, Iermakov S, Bliznevskaya V. Contest coefficients of the elite judo athletes of Russia and Kyrgyzstan (less than 60 kg, 66 kg, 73 kg and 81 kg) from 2010 till 2015. Int J Appl Exerc Physiol. 2018;7(2):32-45. https://doi.org/10.22631/ijaep.v7i2.267
- [32] Koptev O, Osipov A, Kudryavtsev M, et al. Estimation degree of changes influence in competition rules on the contests ratios of judo wrestlers of lightweight categories in Russia and Kyrgyzstan. J Phys Educ Sport. 2017; 17(Suppl 4):2067-2072.
- [33] Escobar-Molina R, Courel J, Franchini E, Femia P, Stankovic N. The impact of penalties on subsequent attack effectiveness and combat outcome among high elite judo competitors. Int J Perform Analys Sport. 2014;14(3):946-954. https://doi.org/10.1080/24748668.2014.11868770
- [34] Miarka B, Brito CJ, Amtmann J, Córdova C, dal Bello F, Camey S. Suggestions for judo training with pacing strategy and decision making by judo Championship phases. J Hum Kinet. 2018;64:219-232. https://doi.org/10.1515/hukin-2017-0196
- [35] International Judo Federation. Refereeing new rules; 2010. Retrieved from www.intjudo.eu.
- [36] Adam M, Tabakov S, Klimowicz P, Paczoska B, Laskowski R, Smaruj M. The efficiency of judo techniques in the light of amendments to the rules of a sports contest. J Combat Sport Mart Arts. 2012;3(2):115-120. https://doi. org/10.5604/20815735.1047658
- [37] Tamura M, Hirose N, Nakamura M, et al. Changes in judo kumite tactics according to revisions of the IJF competition rules. Res J Budo. 2012-2013;45(2):143-149.
- [38] Ito K, Hirose N, Nakamura M, Maekawa N, Tamura M, Hirotsu N. The transformation of technical-tactical behaviors for hand techniques used in attacking below the belt after the 2010 International Judo Federation rule revision. Arch Budo. 2013;9(1):1-6. https://doi.org/10.12659/AOB.883732
- [39] Hilpron M, Rosselin C. The bodily experience of judo and the globalisation of sport: A comparison of France and Japan. Journal es anthropologues. 2010;120-121:14. https://doi.org/10.4000/jda.4319
- [40] Ito K, Hirose N, Nakamura M, Maekawa N, Tamura M. Judo Kumi-te pattern and technique effectiveness shifts after the 2013 International Judo Federation Rule Revision. Arch Budo. 2014;10(1):1-9. https://doi.org/10.12659/AOB.883732

- [41] Osipov A, Kudryavtsev M, Struchkov V, Kuzmin V, Bliznevsky A, Plotnikova I. Expert analysis of the competitive level of young Russian judo athletes training for conducting active attack fighting active attack fighting. J Phys Educ Sport. 2016;16(4):1153-1158. https://doi.org/10.7752/jpes.2016.04185
- [42] Han L. Judo writing; 2015. Retrieved from http://www.judolink.club/2010-2016-IJF-no-leg-grab-rules.html.
- [43] Nakamura I, Tanabe Y, Nanjo M, Narazaki N, Shigeoka T. Analysis on world senior judo championschips in 1995-1999: Comparaison in terms of winning point and winning technique. Res J Budo. 2002;35(1): 15-23.
- [44] Miller GA, Collins NA, Stewart MJ, Challis DG. (2015). Throwing technique and efficiency in the 2013 British Judo Championships. Int J Perform Analys Sport. 2015;15:53-68.
- [45] Adam M, Laskowski R, Tabakov S, Smaruj M. Tactical- technical preparation of judo athletes participating in Japan championships. J Combat Sport Mart Art. 2013;4(1):61-65.
- [46] Adam M, Tomita H, Szymański M, Klimowicz P, Tyszkowski S, Wolska B. Ways of performing judo throws, and their efficiency, assessed in the open weight category in All-Japan Judo Championships. Ido Movement for Culture. Journal of Martial Arts Anthropology. 2015;15(1):39-45.
- [47] Adam M, Klimowicz P, Pujszo R. Judoists' tactical and technical efficiency during the World Championships in 2014 and 2015. Balt J Health Phys Activ. 2016;8(2):19-28.
- [48] Sacripanti A. A Seoi survey for coaches and teachers. 2th European Science of Judo Research Symposium. Antalya, Turkey; 2015.
- [49] Margnes E, Paillard T. Teaching balance for judo practitioners. Ido Movement for Culture. Journal of Martial Arts Anthropology. 2011;11(1):42-46.
- [50] Adam M, Tabakov S, Blach L, Smaruj M. Characteristics of the technical-tactical preparation of male and female judo competitors participating in the Olympic Games-London 2012. Ido Movement for Culture. Journal of Martial Arts Anthropology. 2013;13(2):75-88.
- [51] Drid P, Trivić T, Obadov S, Vujkov S. Analysis of the judo Olympic tournament for men, London 2012 retrospective. In: Madić D, editor. 3rd International scientific conference: Exercise and Quality of Life. Novi Sad, Serbia; 2013, 193-198.
- [52] Pujszo R, Adam M, Kuzminska A, Blach W. The course of the judo fight in the heaviest category (+100kg) seen from the perspective of attacks in the standing position, based on the Olympic Games in London. Ido Movement For Culture, Journal of Martial Arts Anthropology. 2014;14(1):63-71.
- [53] Roux P. The attack system. Description and analysis before exceeding. Esprit du judo. 2019:78:24-25.
- [54] Suárez JC. Judo. Análisis de tendencias y la estrategia en la preparación técnico-táctica contemporánea; 2005. Retrieved from https://www.efdeportes.com/efd80/judo.htm.
- [55] Franchini E, Sterkowicz S, Meira Jr CM, Ferreira Gomes FR, Tani G. Technical variation in a sample of high level judo players'. Percept Motor Skill. 2008;106:859-869. https://doi.org/10.2466/pms.106.3.859-869
- [56] Adam M. Effectiveness of techniques performed by outstanding judo competitors. Res Yearbook. 2007;13(2): 216-220.
- [57] International Judo Federation. Refereeing new rules; 2013. Retrieved from www.intjudo.eu.
- [58] Adam M, Smaruj M, Tyszkowski S. The diagnosis of the technical-tactical preparation of judo competitors during the World Championships (2009 and 2010) in the light of the new judo sport rules. Arch Budo. 2011;7 (1):5-9.
- [59] Sertic H, Segedi I, Vucak T. Technical efficiency of men judokas during the European Championships (u 23) in Zagreb 2008. In: Scardone D, editor. Annals of the 6th International Science of Judo Symposium. Rotterdam, The Netherlands: The International Association of reserachers; 2009, 20.
- [60] Boguszewski D. Technical fitness training of judokas-finalists of top world tournaments in the years 2005-2008. J Combat Sport Mart Art. 2010;1(2):109-114.
- [61] Kajmovic H, Radjo I. A comparison of gripping configuration and throwing techniques efficiency index in judo between male and female judoka during Bosnia and Herzegovina senior state Championships international. J Perform Analys Sport. 2014;14(2):620-634. https://doi.org/10.1080/24748668.2014.11868747
- [62] Adam M, Wolska B, Klimowicz P, Smaruj M. (2013a). Characteristics of technical-tactical preparation of Russian men's judo representation during the Olympic Games in London in 2012. Balt J Health Phys Activ. 2013;5(4):249-260. https://doi.org/10.2478/bjha-2013-0023
- [63] Weers G. Skill range of the elite judo competitor; 1997. Retrieved from http://judoinfo.com/weers1.htm.
- [64] Santos L, Fernández-Río J, Almansba R, Sterkowicz S, Callan M. (2015). Perceptions of top-level judo coaches on training and performance. Int J Sport Sci Coach. 2015;10(1):145-158. https://doi.org/10.1260/1747-9541.10.1.145
- [65] Adam M, Tyszkowski S, Smaruj M. The Contest effectiveness of the men's national judo team of Japan, and character of their technical-tactical preparation during the World Judo Championships 2010. Balt J Health Phys Activ. 2011;3(1):65-74. https://doi.org/10.2478/v10131-011-0007-3
- [66] Kruszewski A, Jagiełło W, Adamiec T. Technical fitness of judoists (weight category -66 kg) participating in European Championships 2005. Phys Educ Sport. 2208;52:27-29. https://doi.org/10.2478/v10030-008-0006-6

Cite this article as:

Ait Ali Yahia A. The impact of classified and unclassified techniques on the male medalists' offensive activity at the 2004-2016 Olympic Games Balt J Health Phys Act. 2020;12(4):59-73 doi: 10.2935/BJHPA.12.4.05